

J. Büchner C. T. Dum M. Scholer (Eds.)

Space Plasma Simulation



Springer

Lecture Notes in Physics

Editorial Board

R. Beig, Wien, Austria
B.-G. Englert, Ismaning, Germany
U. Frisch, Nice, France
P. Hänggi, Augsburg, Germany
K. Hepp, Zürich, Switzerland
W. Hillebrandt, Garching, Germany
D. Imboden, Zürich, Switzerland
R. L. Jaffe, Cambridge, MA, USA
R. Lipowsky, Golm, Germany
H. v. Löhneysen, Karlsruhe, Germany
I. Ojima, Kyoto, Japan
D. Sornette, Nice, France, and Los Angeles, CA, USA
S. Theisen, Golm, Germany
W. Weise, Trento, Italy, and Garching, Germany
J. Wess, München, Germany
J. Zittartz, Köln, Germany

Springer

Berlin

Heidelberg

New York

Barcelona

Hong Kong

London

Milan

Paris

Tokyo

Physics and Astronomy  **ONLINE LIBRARY**
<http://www.springer.de/phys/>

Editorial Policy

The series *Lecture Notes in Physics* (LNP), founded in 1969, reports new developments in physics research and teaching -- quickly, informally but with a high quality. Manuscripts to be considered for publication are topical volumes consisting of a limited number of contributions, carefully edited and closely related to each other. Each contribution should contain at least partly original and previously unpublished material, be written in a clear, pedagogical style and aimed at a broader readership, especially graduate students and nonspecialist researchers wishing to familiarize themselves with the topic concerned. For this reason, traditional proceedings cannot be considered for this series though volumes to appear in this series are often based on material presented at conferences, workshops and schools (in exceptional cases the original papers and/or those not included in the printed book may be added on an accompanying CD ROM, together with the abstracts of posters and other material suitable for publication, e.g. large tables, colour pictures, program codes, etc.).

Acceptance

A project can only be accepted tentatively for publication, by both the editorial board and the publisher, following thorough examination of the material submitted. The book proposal sent to the publisher should consist at least of a preliminary table of contents outlining the structure of the book together with abstracts of all contributions to be included.

Final acceptance is issued by the series editor in charge, in consultation with the publisher, only after receiving the complete manuscript. Final acceptance, possibly requiring minor corrections, usually follows the tentative acceptance unless the final manuscript differs significantly from expectations (project outline). In particular, the series editors are entitled to reject individual contributions if they do not meet the high quality standards of this series. The final manuscript must be camera-ready, and should include both an informative introduction and a sufficiently detailed subject index.

Contractual Aspects

Publication in LNP is free of charge. There is no formal contract, no royalties are paid, and no bulk orders are required, although special discounts are offered in this case. The volume editors receive jointly 30 free copies for their personal use and are entitled, as are the contributing authors, to purchase Springer books at a reduced rate. The publisher secures the copyright for each volume. As a rule, no reprints of individual contributions can be supplied.

Manuscript Submission

The manuscript in its final and approved version must be submitted in camera-ready form. The corresponding electronic source files are also required for the production process, in particular the online version. Technical assistance in compiling the final manuscript can be provided by the publisher's production editor(s), especially with regard to the publisher's own Latex macro package which has been specially designed for this series.

Online Version/ LNP Homepage

LNP homepage (list of available titles, aims and scope, editorial contacts etc.):

<http://www.springer.de/phys/books/lnp/>

LNP online (abstracts, full-texts, subscriptions etc.):

<http://link.springer.de/series/lnp/>

Editors

Jörg Büchner
Max-Planck-Institut für Aeronomie,
Max-Planck Str. 2,
37191 Katlenburg-Lindau, Germany

Manfred Scholer
Max-Planck-Institut
für extraterrestrische Physik,
Postfach 1312
85741 Garching, Germany

Christian T. Dum
Max-Planck-Institut
für extraterrestrische Physik,
Postfach 1312
85741 Garching, Germany

Cover Picture: (see contribution by D. Cai et al. in this volume)

Cataloging-in-Publication Data applied for

A catalog record for this book is available from the Library of Congress.

Bibliographic information published by Die Deutsche Bibliothek

Die Deutsche Bibliothek lists this publication in the Deutsche Nationalbibliografie;
detailed bibliographic data is available in the Internet at <http://dnb.ddb.de>

ISSN 0075-8450

ISBN 3-540-00698-2 Springer-Verlag Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable for prosecution under the German Copyright Law.

Springer-Verlag Berlin Heidelberg New York
a member of BertelsmannSpringer Science+Business Media GmbH

<http://www.springer.de>

© Springer-Verlag Berlin Heidelberg 2003
Printed in Germany

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Typesetting: Camera-ready by the authors/editor
Camera-data conversion by Steingraeber Satztechnik GmbH Heidelberg
Cover design: *design & production*, Heidelberg

Printed on acid-free paper

54/3141/du - 5 4 3 2 1 0

Preface

The aim of this book is twofold: to provide an introduction for newcomers to state of the art computer simulation techniques in space plasma physics and an overview of current developments. Computer simulation has reached a stage where it can be a highly useful tool for guiding theory and for making predictions of space plasma phenomena, ranging from microscopic to global scales.

The various articles are arranged, as much as possible, according to the underlying simulation technique, starting with the technique that makes the least number of assumptions: a fully kinetic approach which solves the coupled set of Maxwell's equations for the electromagnetic field and the equations of motion for a very large number of charged particles (electrons and ions) in this field. Clearly, this is also the computationally most demanding model. Therefore, even with present day high performance computers, it is the most restrictive in terms of the space and time domain and the range of particle parameters that can be covered by the simulation experiments.

It still makes sense, therefore, to also use models, which due to their simplifying assumptions, seem less realistic, although the effect of these assumptions on the outcome of the simulation experiments needs to be carefully assessed. In fact, using a model which is not realistic in every respect may, instead of a limitation, even represent a particular strength of simulation. Such models allow isolating particular physical mechanisms, something which is often not possible with space observations or even with laboratory experiments, in view of their complexity. In this manner our theoretical understanding can be advanced.

One such simplification, often also employed in theoretical treatments, uses of the fact that plasma waves are often nearly electrostatic. Corresponding codes are not only simpler, because there is no need to compute magnetic field perturbations. They are also more efficient, because wave phase speeds that need to be resolved are generally much smaller than for electromagnetic waves. By comparing electrostatic and electromagnetic code results, one can easily assess the importance of electromagnetic effects in plasma dynamics.

Space plasmas, in contrast to laboratory devices, are very extended coupled systems. Boundary conditions, which a computation necessarily has to introduce, are thus always somewhat artificial. Using two- or even one-dimensional models allows minimizing this artifact in the remaining dimensions. Especially with one-dimensional models, however, careful analysis must ensure that they do not too much restrict interaction mechanisms, between particles and waves, for example.

Even the fully kinetic simulations by the particle in cell (PIC) simulation technique simplifies the computational task by concentrating on collective, long range electromagnetic fields, which dominate the dynamics of most space plasmas. This method of representing the plasma by finite size particles still leaves background statistical noise, with effects similar to particle collisions. It is reduced only as $N^{-\frac{1}{2}}$, as the number of such super particles increases. A method to more efficiently reduce the noise level is to split the particle distribution function, when this seems possible, into a fixed background f_0 and a perturbation δf and representing only the latter by simulation particles.

In a dusty plasma, however, the short range forces, which describe collisions, become important, at least between dust grains. The evaluation of these forces for N particles requires the summation of N^2 interactions. Moreover, dust grains are so much more massive than plasma ions and electrons, and hence move on vastly different time scales, which also largely prohibits using the same simulation technique as for the background plasma. One can, however, take advantage of this disparity in characteristic scales, by combining molecular dynamics simulation techniques for the dust grains with a description, obtained from linear kinetic theory, of the plasma as a dielectric which modifies the forces on dust grains.

A very significant reduction in computational cost arises if at least one particle species can reasonably be represented by a simple fluid model. In so called hybrid models, usually the electrons are represented in this way, whereas for the ions a fully kinetic description by particles is used. Situations in which, by contrast, electron kinetic effects dominate are also possible, of course.

The most significant reduction in computational cost arises if all particle species are represented by fluids, or even a single conducting fluid. In return, such magnetohydrodynamic models nowadays allow global simulations of the entire coupled solar wind-magnetospheric system. The ongoing challenge, as computer power increases, is to make the description of the plasma and the boundary conditions, especially the planetary boundary conditions, more complete. Predictions of space weather require as input, at another boundary, also realistic descriptions of solar activity.

Along with advances in computer hardware, advanced programming and numerical techniques, which make optimal use of this new computer power, such as massively parallel computations or codes with variable mesh size, are equally important. Finally, special attention must be paid to efficient techniques for analyzing and representing the massive amount of data, which simulations, three-dimensional computations especially, nowadays produce.

This book was inspired by the Sixth International School / Symposium for Space Plasma Simulation, held at Garching, Germany, in September 2001. Its invited tutorials and review lectures had the same aims. We therefore invited authors to contribute who, in a collective effort, would give a most coherent and reasonably complete picture of this diverse and rich field. To this end individual contributions were made available to all contributing authors during the preparation phase of this book, and authors were encouraged to freely exchange comments. In addition, each contribution was subject to a formal peer review

process. We feel very fortunate to have found such highly qualified authors who, as a group, have indeed covered a huge range of topics, as the table of contents shows. Our thanks go to them, but also to the referees who helped to further improve the presentation.

Garching and Katlenburg-Lindau
December 2002

J. Büchner, C. T. Dum, M. Scholer

Table of Contents

Particle-in-Cell Simulation of Plasmas – A Tutorial <i>Philip L. Pritchett</i>	1
Parallel 3-D Electromagnetic Particle Code Using High Performance FORTRAN: Parallel TRISTAN <i>Dongsheng Cai, Yaoting Li, Ken-Ichi Nishikawa, Chijie Xiao, Xiaoyang Yan, Zuying Pu</i>	25
Full Particle Electromagnetic Simulation of Collisionless Shocks <i>Bertrand Lembège</i>	54
Simulation of Electron Beam Instabilities and Nonlinear Potential Structures <i>Yoshiharu Omura, Takayuki Umeda, Hiroshi Matsumoto</i>	79
Kinetic Simulation of Inhomogeneous Plasma with a Variable Sized Grid System <i>David Schriver</i>	93
Low Noise Electrostatic and Electromagnetic Delta-f Particle-in-Cell Simulation of Plasmas <i>Richard D. Sydora</i>	109
Particle Simulation of Dusty Plasmas <i>Glenn Joyce, Martin Lampe, Gurudas Ganguli</i>	125
Hybrid Simulation Codes: Past, Present and Future – A Tutorial <i>Dan Winske, Lin Yin, Nick Omidi, Homa Karimabadi, Kevin Quest</i>	136
Hall Magnetohydrodynamics - A Tutorial <i>Joseph D. Huba</i>	166
Fluid Plasma Simulation of Coupled Systems: Ionosphere and Magnetosphere <i>Antonius Otto, Hua Zhu</i>	193
Global Magnetohydrodynamics – A Tutorial <i>Joachim Raeder</i>	212

Adaptive Mesh Refinement for Global Magnetohydrodynamic Simulation <i>Tamas I. Gombosi, Darren L. De Zeeuw, Kenneth G. Powell, Aaron J. Ridley, Igor V. Sokolov, Quentin F. Stout, Gábor Tóth</i>	247
Finite Volume TVD Schemes for Magnetohydrodynamics on Unstructured Grids <i>Takashi Tanaka</i>	275
Global Magnetohydrodynamic Simulation Using High Performance FORTRAN on Parallel Computers <i>Tatsuki Ogino</i>	296
Numerical Schemes for the Analysis of Turbulence – A Tutorial <i>Thierry Dudok de Wit</i>	315
Subject Index	345

List of Contributors

Dongsheng Cai

Institute of Information Sciences
and Electronics
The University of Tsukuba,
Ibaraki 305-8573,
Japan
cai@is.tsukuba.ac.jp

Darren L. De Zeeuw

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 48109-2143
USA

Thierry Dudok de Wit

LCPE, UMR 6115 CNRS-Université
d'Orléans,
3A, av. de la Recherche Scientifique,
Orléans cedex 2, 45071
France

Gurudas Ganguli

Plasma Physics Division
Naval Research Laboratory
Washington, DC 20375,
USA

Tamas I. Gombosi

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 48109-2143
USA

Joseph D. Huba

Plasma Physics Division
Naval Research Laboratory
Washington, DC 20375,
USA

Glenn Joyce

Plasma Physics Division
Naval Research Laboratory
Washington, DC 20375,
USA

Homa Karimabadi

Electrical and Computer Engineering
Department
University of California San Diego
La Jolla, CA 92093,
USA

Martin Lampe

Plasma Physics Division
Naval Research Laboratory
Washington, DC 20375,
USA

Bertrand Lembège

CETP-CNRS-UVSQ
10-12 Av. de l'Europe
Velizy, 78140
France

Yaoting Li

Institute of Information Sciences
and Electronics
The University of Tsukuba,
Ibaraki 305-8573,
Japan
ytli@is.tsukuba.ac.jp

Hiroshi Matsumoto

Radio Science Center for Space
and Atmosphere
Kyoto University
Uji, Kyoto 611-001,
Japan

Ken-Ichi Nishikawa

National Space Science
and Technology Center,
320 Sparkman Drive, SD 50,
Huntsville, AL 35805,
USA

`Ken-Ichi.Nishikawa@nsstc.nasa.gov`

Tatsuki Ogino

Solar-Terrestrial Environment
Laboratory,
Nagoya University 3-13 Honohara,
Toyokawa, Aichi 442-8507,
Japan
`ogino@stelab.nagoya-u.ac.jp`

Nick Omid

Electrical and Computer Engineering
Department
University of California San Diego
La Jolla, CA 92093,
USA
`nomidi1@san.rr.com`

Yoshiharu Omura

Radio Science Center for Space
and Atmosphere
Kyoto University
Uji, Kyoto 611-001,
Japan

Antonius Otto

Geophysical Institute
University of Alaska
Fairbanks, AK 99775,
USA

Kenneth G. Powell

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 48109-2143
USA

Philip L. Pritchett

Department of Physics and Astronomy
University of California Los Angeles
Los Angeles, CA 90095-1547,
USA
`pritchet@physics.ucla.edu`

Zuying Pu

Department of geophysics,
Peking University,
Beijing 100871,
China
`zypu@pku.edu.cn`

Kevin Quest

Electrical and Computer Engineering
Department
University of California San Diego
La Jolla, CA 92093,
USA

Joachim Raeder

Institute of Geophysics and Planetary
Physics
University of California Los Angeles
Los Angeles, 90095-1567
USA

Aaron J. Ridley

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 48109-2143
USA

David Schriver

University California Los Angeles
Los Angeles, CA 90095-1567,
USA
`dave@igpp.ucla.edu`

Igor V. Sokolov

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 49109-2143
USA

Quentin F. Stout

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 49109-2143
USA

Richard D. Sydora

Department of Physics
University of Alberta
Edmonton, AB, T6G 2J1
Canada
rsydora@phys.ualberta.ca

Takashi Tanaka

Communications Research Laboratory
Koganei-shi, Tokyo 184-8795,
Japan

Gábor Tóth

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 48109-2143
USA

Takayuki Umeda

Radio Science Center for Space
and Atmosphere
Kyoto University
Uji, Kyoto 611-001,
Japan

Dan Winske

Applied Physics Division
Los Alamos National Laboratory
Los Alamos, NM 87545,
USA
winske@lanl.gov

Chijie Xiao

Institute of Information Sciences
and Electronics
The University of Tsukuba,
Ibaraki 305-8573,
Japan
cjxiao@is.tsukuba.ac.jp

Xiaoyang Yan

Institute of Information Sciences
and Electronics
The University of Tsukuba,
Ibaraki 305-8573,
Japan
yxy@is.tsukuba.ac.jp

Lin Yin

Applied Physics Division
Los Alamos National Laboratory
Los Alamos, NM 87545,
USA
lyin@lanl.gov

Hua Zhu

Geophysical Institute
University of Alaska
Fairbanks, AK 99775,
USA

Preface

The aim of this book is twofold: to provide an introduction for newcomers to state of the art computer simulation techniques in space plasma physics and an overview of current developments. Computer simulation has reached a stage where it can be a highly useful tool for guiding theory and for making predictions of space plasma phenomena, ranging from microscopic to global scales.

The various articles are arranged, as much as possible, according to the underlying simulation technique, starting with the technique that makes the least number of assumptions: a fully kinetic approach which solves the coupled set of Maxwell's equations for the electromagnetic field and the equations of motion for a very large number of charged particles (electrons and ions) in this field. Clearly, this is also the computationally most demanding model. Therefore, even with present day high performance computers, it is the most restrictive in terms of the space and time domain and the range of particle parameters that can be covered by the simulation experiments.

It still makes sense, therefore, to also use models, which due to their simplifying assumptions, seem less realistic, although the effect of these assumptions on the outcome of the simulation experiments needs to be carefully assessed. In fact, using a model which is not realistic in every respect may, instead of a limitation, even represent a particular strength of simulation. Such models allow isolating particular physical mechanisms, something which is often not possible with space observations or even with laboratory experiments, in view of their complexity. In this manner our theoretical understanding can be advanced.

One such simplification, often also employed in theoretical treatments, uses of the fact that plasma waves are often nearly electrostatic. Corresponding codes are not only simpler, because there is no need to compute magnetic field perturbations. They are also more efficient, because wave phase speeds that need to be resolved are generally much smaller than for electromagnetic waves. By comparing electrostatic and electromagnetic code results, one can easily assess the importance of electromagnetic effects in plasma dynamics.

Space plasmas, in contrast to laboratory devices, are very extended coupled systems. Boundary conditions, which a computation necessarily has to introduce, are thus always somewhat artificial. Using two- or even one-dimensional models allows minimizing this artifact in the remaining dimensions. Especially with one-dimensional models, however, careful analysis must ensure that they do not too much restrict interaction mechanisms, between particles and waves, for example.

Even the fully kinetic simulations by the particle in cell (PIC) simulation technique simplifies the computational task by concentrating on collective, long range electromagnetic fields, which dominate the dynamics of most space plasmas. This method of representing the plasma by finite size particles still leaves background statistical noise, with effects similar to particle collisions. It is reduced only as $N^{-\frac{1}{2}}$, as the number of such super particles increases. A method to more efficiently reduce the noise level is to split the particle distribution function, when this seems possible, into a fixed background f_0 and a perturbation δf and representing only the latter by simulation particles.

In a dusty plasma, however, the short range forces, which describe collisions, become important, at least between dust grains. The evaluation of these forces for N particles requires the summation of N^2 interactions. Moreover, dust grains are so much more massive than plasma ions and electrons, and hence move on vastly different time scales, which also largely prohibits using the same simulation technique as for the background plasma. One can, however, take advantage of this disparity in characteristic scales, by combining molecular dynamics simulation techniques for the dust grains with a description, obtained from linear kinetic theory, of the plasma as a dielectric which modifies the forces on dust grains.

A very significant reduction in computational cost arises if at least one particle species can reasonably be represented by a simple fluid model. In so called hybrid models, usually the electrons are represented in this way, whereas for the ions a fully kinetic description by particles is used. Situations in which, by contrast, electron kinetic effects dominate are also possible, of course.

The most significant reduction in computational cost arises if all particle species are represented by fluids, or even a single conducting fluid. In return, such magnetohydrodynamic models nowadays allow global simulations of the entire coupled solar wind-magnetospheric system. The ongoing challenge, as computer power increases, is to make the description of the plasma and the boundary conditions, especially the planetary boundary conditions, more complete. Predictions of space weather require as input, at another boundary, also realistic descriptions of solar activity.

Along with advances in computer hardware, advanced programming and numerical techniques, which make optimal use of this new computer power, such as massively parallel computations or codes with variable mesh size, are equally important. Finally, special attention must be paid to efficient techniques for analyzing and representing the massive amount of data, which simulations, three-dimensional computations especially, nowadays produce.

This book was inspired by the Sixth International School / Symposium for Space Plasma Simulation, held at Garching, Germany, in September 2001. Its invited tutorials and review lectures had the same aims. We therefore invited authors to contribute who, in a collective effort, would give a most coherent and reasonably complete picture of this diverse and rich field. To this end individual contributions were made available to all contributing authors during the preparation phase of this book, and authors were encouraged to freely exchange comments. In addition, each contribution was subject to a formal peer review

process. We feel very fortunate to have found such highly qualified authors who, as a group, have indeed covered a huge range of topics, as the table of contents shows. Our thanks go to them, but also to the referees who helped to further improve the presentation.

Garching and Katlenburg-Lindau
December 2002

J. Büchner, C. T. Dum, M. Scholer

Table of Contents

Particle-in-Cell Simulation of Plasmas – A Tutorial <i>Philip L. Pritchett</i>	1
Parallel 3-D Electromagnetic Particle Code Using High Performance Fortran <i>Dongsheng Cai, Yaoting Li, Ken-Ichi Nishikawa, Chijie Xiao, Xiaoyang Yan, Zuying Fan</i>	11
Full Particle Electromagnetic Simulation of Collisionless Shocks <i>Bertrand Lembège</i>	54
Simulation of Electron Beam Instabilities and Nonlinear Potential Structure <i>Yoshiharu Omura, Takayuki Umeda, Hiroshi Matsumoto</i>	79
Kinetic Simulation of Inhomogeneous Plasma with a Variable Sized Grid System <i>David Schriver</i>	93
Low Noise Electrostatic and Electromagnetic Delta-f Particle-in-Cell Simulation <i>Richard D. Sydora</i>	109
Particle Simulation of Dusty Plasmas <i>Glenn Joyce, Martin Lampe, Gurudas Ganguli</i>	125
Hybrid Simulation Codes: Past, Present and Future – A Tutorial <i>Dan Winske, Lin Yin, Nick Omidi, Homa Karimabadi, Kevin Quest</i>	136
Hall Magnetohydrodynamics - A Tutorial <i>Joseph D. Huba</i>	166
Fluid Plasma Simulation of Coupled Systems: Ionosphere and Magnetosphere <i>Antonius Otto, Hua Zhu</i>	193
Global Magnetohydrodynamics – A Tutorial <i>Joachim Raeder</i>	212
Adaptive Mesh Refinement for Global Magnetohydrodynamic Simulation <i>Tamas I. Gombosi, Darren L. De Zeeuw, Kenneth G. Powell, Aaron J. Ridley, Igor V. Sokolov</i>	225
Finite Volume TVD Schemes for Magnetohydrodynamics on Unstructured Grids <i>Takashi Tanaka</i>	275

Global Magnetohydrodynamic Simulation Using High Performance FORTRAN <i>Tatsuki Ogino</i>	296
Numerical Schemes for the Analysis of Turbulence – A Tutorial <i>Thierry Dudok de Wit</i>	315
Subject Index	345

List of Contributors

Dongsheng Cai

Institute of Information Sciences
and Electronics
The University of Tsukuba,
Ibaraki 305-8573,
Japan
cai@is.tsukuba.ac.jp

Darren L. De Zeeuw

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 48109-2143
USA

Thierry Dudok de Wit

LCPE, UMR 6115 CNRS-Université
d'Orléans,
3A, av. de la Recherche Scientifique,
Orléans cedex 2, 45071
France

Gurudas Ganguli

Plasma Physics Division
Naval Research Laboratory
Washington, DC 20375,
USA

Tamas I. Gombosi

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 48109-2143
USA

Joseph D. Huba

Plasma Physics Division
Naval Research Laboratory
Washington, DC 20375,
USA

Glenn Joyce

Plasma Physics Division
Naval Research Laboratory
Washington, DC 20375,
USA

Homa Karimabadi

Electrical and Computer Engineering
Department
University of California San Diego
La Jolla, CA 92093,
USA

Martin Lampe

Plasma Physics Division
Naval Research Laboratory
Washington, DC 20375,
USA

Bertrand Lembège

CETP-CNRS-UVSQ
10-12 Av. de l'Europe
Velizy, 78140
France

Yaoting Li

Institute of Information Sciences
and Electronics
The University of Tsukuba,
Ibaraki 305-8573,
Japan
ytli@is.tsukuba.ac.jp

Hiroshi Matsumoto

Radio Science Center for Space
and Atmosphere
Kyoto University
Uji, Kyoto 611-001,
Japan

Ken-Ichi Nishikawa

National Space Science
and Technology Center,
320 Sparkman Drive, SD 50,
Huntsville, AL 35805,
USA

`Ken-Ichi.Nishikawa@nsstc.nasa.gov`

Tatsuki Ogino

Solar-Terrestrial Environment
Laboratory,
Nagoya University 3-13 Honohara,
Toyokawa, Aichi 442-8507,
Japan
`ogino@stelab.nagoya-u.ac.jp`

Nick Omid

Electrical and Computer Engineering
Department
University of California San Diego
La Jolla, CA 92093,
USA
`nomidi1@san.rr.com`

Yoshiharu Omura

Radio Science Center for Space
and Atmosphere
Kyoto University
Uji, Kyoto 611-001,
Japan

Antonius Otto

Geophysical Institute
University of Alaska
Fairbanks, AK 99775,
USA

Kenneth G. Powell

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 48109-2143
USA

Philip L. Pritchett

Department of Physics and Astronomy
University of California Los Angeles
Los Angeles, CA 90095-1547,
USA
`pritchet@physics.ucla.edu`

Zuying Pu

Department of geophysics,
Peking University,
Beijing 100871,
China
`zypu@pku.edu.cn`

Kevin Quest

Electrical and Computer Engineering
Department
University of California San Diego
La Jolla, CA 92093,
USA

Joachim Raeder

Institute of Geophysics and Planetary
Physics
University of California Los Angeles
Los Angeles, 90095-1567
USA

Aaron J. Ridley

Center for Space Environment
Modeling
The University of Michigan,
Ann Arbor, MI 48109-2143
USA

David Schriver

University California Los Angeles
Los Angeles, CA 90095-1567,
USA
`dave@igpp.ucla.edu`